
V. HEALTH HAZARDS

A. SUMMARY/RISKS

- Summary: No known acute or chronic health hazards; dusts generated by fabrication, installation, and demolition are considered to be nuisance dusts.
- This product is not considered a carcinogen by NTP, IARC or OSHA
- Medical conditions that may be aggravated include pre-existing upper respiratory and lung diseases such as, but not limited to bronchitis, emphysema and asthma
- Target organs: Respiratory System
- Acute health affects: transient irritation of inflammation to upper respiratory system
- Chronic health affects: No permanent effects have been reported
- Primary entry routes: Inhalation

B. SIGNS/SYMPTOMS OF OVEREXPOSURE

- Inhalation: congestion or temporary irritation of upper respiratory system
- Skin contact: transient mechanical irritation
- Skin absorption: NA
- Eyes: transient mechanical irritation or inflammation
- Ingestion: NA

C. FIRST AID EMERGENCY PROCEDURES

- Inhalation: remove to fresh air
- Skin contact: wash affected areas with soap and water
- Skin absorption: NA
- Eyes: flush with copious quantities of water
- Ingestion: NA

VI. REACTIVITY DATA

MATERIAL: Is stable, hazardous polymerization cannot occur
CHEMICAL INCOMPATIBILITIES: Strong oxidizing agents
CONDITIONS TO AVOID: Avoid direct exposure to flames

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO₂

VII. SPILL OR LEAK PROCEDURES

PROCEDURES FOR SPILL/LEAK: Vacuum clean dust. If sweeping is necessary, use a dust suppressant

WASTE MANAGEMENT: Non-hazardous waste as defined by RCRA (40 CFR PART 261)

METHOD OF DISPOSAL: Comply with federal, state and local regulations
Landfill

VIII. SPECIAL PROTECTION INFORMATION

- GOGGLES:** Goggles or safety glasses are recommended
GLOVES: Not normally required
RESPIRATOR: Use a respirator such as 3M® 8710 or equivalent for protection against dust
VENTILATION: Recommended at source of any mechanical cutting
OTHER: NA

SPECIAL CONSIDERATIONS FOR REPAIR/MAINTANENCE OF

- CONTAMINATED EQUIPMENT:** Use proper respiratory protection when possibility of exposure to product's dust exist

IX. SPECIAL PRECAUTIONS

STORAGE SEGREGATION

- HAZARD CLASSES:** Always segregate material s major hazard class

- SPECILA HANDLING/STORAGE:** Store away from direct flames

OTHER: NA

PREPARED/REVISED BY: BLAINE MOORE **TITLE:** MANAGER TECHNICAL SERVICES

RE-PRINTED BY: DARRIN ALCORN

MID-STATES ASPHALT

As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state law(s). However, no warranty or representation with respect to such information is intended or given.

Information used on this Material Safety Data Sheet was obtained and used with permission from Building Materials Corporation of America, a subsidiary of GAF Materials Corporation.

For questions about this material safety data sheet or the product described herein please contact the Taper Design Division of Mid-States Asphalt at 1-800-489-2391. Written inquiries may be mailed to 1637 51st Avenue, Tuscaloosa, AL 35401.

This document was created 10/7/1999 9:54 AM

This document was last modified 10/16/2003